

Document Title:

Structural Performance Certification Authorization Report

Doc No:	FRM B1-02				
Rev No:	7	Page:	1	Of:	1

Required By:

PRO B1-03

CAR & Product ID Number: 757 - 117.0

Issue Date: 8/20/2015
Revision Date: 3/19/2019
Expiration Date: 6/24/2022

Company Code: 757

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:	
Pocahontas Aluminum Company, Inc.	Model: SSL21WW PVC Horizontal Slider XO	
2001 Industrial Drive, PO Box 756	Operator Type: HS	
Pocahontas, AR 72455	Config: EM/IM, GS-1/8" Ann IG	
USA	Max Width: 72	
	Max Height: 60	

Referenced Standard:	Product Rating:	
AAMA/WDMA/CSA 101/I.S.2/A440-08/11	Class R-PG15 1829x1524 (72x60)-HS	

Qualifying Test Information:		
Test Report No:	ATI-E9100.02-501-47	
Test Report Expiration:	6/24/2022	

Authorized Signature:

Deir Just Jo

Dennis Fassnacht Jr. 2019.03.19 15:03:39 -04'00'

Keystone Certifications, Inc.

145 Limekiln Rd. Suite 100B New Cumberland, Pennsylvania 17070 Phone: 717-932-8500

Fax: 717-932-8501



Structural Performance Certification **Authorization Report**

Doc No:	FRM B1-02				
Rev No:	7	Page:	1	Of:	1

Required By:

PRO B1-03

CAR & Product ID Number: 757 - 118.0

> Issue Date: 8/20/2015 Revision Date: 3/19/2019 **Expiration Date:** 6/24/2022

Company Code: 757

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:	
Pocahontas Aluminum Company, Inc.	Model: SSL21WW PVC Horizontal Slider XO	
2001 Industrial Drive, PO Box 756	Operator Type: HS	
Pocahontas, AR 72455	Config: EM/IM	
USA	Max Width: 64	
	Max Height: 50	

Referenced Standard:	Product Rating:	
AAMA/WDMA/CSA 101/I.S.2/A440-08/11	Class R-PG30 1626x1270 (64x50)-HS	

Qualifying Test Information:		
Test Report No:	ATI-E9100.02-501-47	
Test Report Expiration:	6/24/2022	

Authorized Signature:

-04'00'

Dennis Fassnacht Jr. Weir Just Jo 2019.03.19 15:06:17

Keystone Certifications, Inc.

145 Limekiln Rd. Suite 100B New Cumberland, Pennsylvania 17070

Phone: 717-932-8500 Fax: 717-932-8501





TEST REPORT

Report No.: E9100.02-501-47

Rendered to:

POCAHONTAS ALUMINUM COMPANY, INC. Pocahontas, Arizona

PRODUCT TYPE: PVC Horizontal Sliding Window, Type XO **SERIES/MODEL**: SSL21WW

SPECIFICATION(S): AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS 2011 - North American Fenestration Standard/Specification for Windows, Doors, and Skylights


AAMA/WDMA/CSA 101/I.S.2/A440-08, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights

	Summary of Results	
Title	Test Specimen #1	Test Specimen #2
AAMA/WDMA/CSA 101/I.S.2/A440-	Class R-PG15 1829 x 1524	Class R-PG30 1626 x 1270
08 and -11	(72 x 60) - HS	(64 x 50) - HS
Design Pressure	±720 Pa (±15.04 psf)	±2400 Pa (±50.13 psf)
Air Infiltration	0.4 L/s/m ² (0.08 cfm/ft ²)	See Test Specimen #1
Canadian Air Infiltration/Exfiltration Level	А3	See Test Specimen #1
Water Penetration Resistance Test Pressure	220 Pa (4.60 psf)	See Test Specimen #1

Test Completion Date: 06/24/15

Reference must be made to Report No. E9100.02-501-47, dated 07/31/15 for complete test specimen description and detailed test results.





1.0 Report Issued To: Pocahontas Aluminum Co., Inc.

2001 Industrial Drive

Pocahontas, Arizona 72455

2.0 Test Laboratory: Architectural Testing, Inc., a subsidiary of Intertek (Intertek-

ATI)

1140 Lincoln Avenue

Springdale, Pennsylvania 15144

724-275-7100

3.0 Project Summary:

3.1 Product Type: PVC Horizontal Sliding Window, Type XO

3.2 Series/Model: SSL21WW

3.3 Compliance Statement: Results obtained are tested values and were secured by using the designated test method(s). The specimens tested successfully met the performance requirements for the following ratings:

Test Specimen(s)	Title	Summary of Results	
1	101/I.S.2/A440-08 and -11	Class R-PG15 1829 x 1524 (72 x 60) - HS	
2	101/I.S.2/A440-08 and -11	Class R-PG30 1626 x 1270 (64 x 50) - HS	

3.4 Test Dates: 06/22/15 - 06/24/15

- **3.5 Test Record Retention End Date**: All test records for this report will be retained until June 24, 2019.
- **3.6 Test Location**: Veka Inc. test facility in Fombell, Pennsylvania. Calibration of test equipment was performed by Intertek-ATI in accordance with AAMA 205-01 "In-Plant Testing Guidelines for Manufacturers and Independent Laboratories".
- **3.7 Test Specimen Source**: The test specimens were provided by the client. Representative samples of the test specimen(s) will be retained by Intertek-ATI for a minimum of four years from the test completion date.
- **3.8 Drawing Reference**: The test specimen drawings have been reviewed by Intertek-ATI and are representative of the test specimen(s) reported herein. Test specimen construction was verified by Intertek-ATI per the drawings located in Appendix C. Any deviations are documented herein or on the drawings.

3.9 List of Official Observers:

<u>Name</u>	<u>Company</u>
Doug Merry	Veka Inc.
Cornell Charles	Veka Inc.
Joseph Allison	Intertek-ATI



Page 2 of 8

4.0 Test Specification(s):

AAMA/WDMA/CSA 101/I.S.2/A440-11, NAFS 2011 - North American Fenestration Standard/Specification for Windows, Doors, and Skylights

AAMA/WDMA/CSA 101/I.S.2/A440-08, NAFS - North American Fenestration Standard/Specification for Windows, Doors, and Skylights

5.0 Test Specimen Description:

5.1 Product Sizes:

Test Specimen #1:

Overall Area:	Width		Height		
$2.8 \text{ m}^2 (30.0 \text{ ft}^2)$	millimeters	inches	millimeters	inches	
Overall size	1829	72	1524	60	
Sash size	914	36	1470	57-7/8	
Screen size	895	35-1/4	1486	58-1/2	

Test Specimen #2:

Overall Area:	Width		Height	
2.1 m ² (22.2 ft ²)	millimeters	inches	millimeters	inches
Overall size	1626	64	1270	50
Sash size	813	32	1216	47-7/8
Screen size	794	31-1/4	1232	48-1/2

The following descriptions apply to all specimens.

5.2 Frame Construction:

Frame Member	Material	Description
Head, sill, jambs, fixed stile, roller track	PVC	Extruded

	Joinery Type	Detail
All corners	Mitered	Thermally welded
Fixed stile	Square-cut and coped	Fastened with four #8 x 2" truss head screws, two at each end, and sealed with a silicone sealant
Roller track	Square-cut	Snap-in



5.0 Test Specimen Description: (Continued)

5.3 Sash Construction:

Sash Member	Material	Description
All rails and stiles	PVC	Extruded

	Joinery Type	Detail
All corners	Mitered	Thermally welded

5.4 Weatherstripping:

Description	Quantity	Location
0.187" backed x 0.250" high	1 Row	Top rail, bottom rail, stiles
center fin pile	1 KOW	Top rail, bottom rail, silles

5.5 Glazing: No conclusions of any kind regarding the adequacy or inadequacy of the glass in any glazed test specimen(s) can be made.

Test Specimen #1:

Glass Type	Spacer Type	Interior Lite	Exterior Lite	Glazing Method
5/8" IG	Rectangular- shaped steel, single sealed	1/8" annealed	1/8" annealed	The glass was set from the exterior against a silicone sealant and secured with rigid PVC glazing beads

Test Specimen #2:

Glass Type	Spacer Type	Interior Lite	Exterior Lite	Glazing Method
5/8" IG	Rectangular- shaped steel, single sealed	3/32" annealed	3/32" annealed	The glass was set from the exterior against a silicone sealant and secured with rigid PVC glazing beads

Location	Ouantity Daylight Opening		t Opening	Glass Bite
LUCATION	Quantity	millimeters	inches	Glass bite
Specimen #1 sash	1	810 x 1391	32-7/8 x 54-3/4	5/8"
Specimen #1 frame	1	841 x 1457	33-1/8 x 57-3/8	5/8"
Specimen #1 sash	1	733 x 1137	28-7/8 x 44-3/4	5/8"
Specimen #1 frame	1	740 x 1203	29-1/8 x 47-3/8	5/8"



5.0 Test Specimen Description: (Continued)

5.6 Drainage:

Drainage Method	Size	Quantity	Location
Weepslot	9/16" wide by	2	Exterior sill face, one 1-1/2" in from
weepsiot	5/32" high	2	each end.
Woonglot	9/16" wide by	2	Interior sill track, one at each end.
Weepslot	5/32" deep	2	interior sin track, one at each end.
Woonglot	9/16" wide by	2	Intermediate sill wall, one at each
Weepslot	5/32" high	2	end

5.7 Hardware:

Description	Quantity	Location
Metal cam lock	2	Lock rail, one 10" in from each end with mating metal keepers on the fixed meeting stile.
Dual metal rollers with plastic housing	2	Bottom rail, one at each end

5.8 Reinforcement:

Drawing Number	Location	Material
S-3832	Fixed stile, lock stile	Extruded aluminum

5.9 Screen Construction:

Frame Material	Corner Construction	Mesh Type	Mesh Attachment Method
Roll-formed aluminum	Square-cut and secured with snap-in plastic corner keys	Fiber	Flexible vinyl spline





6.0 Installation:

The specimen was installed into a Spruce-Pine-Fir wood buck. The rough opening allowed for a 1/8" shim space. The nail fin perimeter of the window was sealed with a silicone sealant.

Location	Anchor Description	Anchor Location
Integral nail fin	#8 x 2" long truss head screws	Nominally spaced at 9" on center, and beginning 2" in from each corner, with an additional three screw cluster at each end of the fixed meeting stile



7.0 Test Results: The temperature during testing was 21°C (70°F). The results are tabulated as follows:

Test Specimen #1:

Initiate motion: 89 N (20 lbf) Report Only	Title of Test	Dogulas	All 0 J	Mata
Operating Force, per ASTM E 2068 89 N (20 lbf) Maintain motion: 76 N (17 lbf) Locks: 22 N (5 lbf) Report Only 90 N (20 lbf) max. Air Leakage, Infiltration per ASTM E 283 at 75 Pa (1.57 psf) 0.4 L/s/m² (0.3 cfm/ft²) max. 1.5 L/s/m² (0.3 cfm/ft²) max. 1 Air Leakage, Exfiltration per ASTM E 283 at 75 Pa (1.57 psf) 0.4 L/s/m² (0.3 cfm/ft²) max. 1 Canadian Air Infiltration/Exfiltration Level A3 N/A Water Penetration, per ASTM E 347 N/A N/A N/A Uniform Load Deflection, per ASTM E 330 Deflections taken at the fixed meeting stile +720 Pa (+15.04 psf) 35.5 mm (1.40") Report Only 4, 5, 6 Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 5, 6 Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction, 320 N (72 lbf) Remaining direction, Pass Meets as stated	Title of Test	Results	Allowed	Note
Operating Force, per ASTM E 2068 Maintain motion: 76 N (17 lbf) 90 N (20 lbf) max. Locks: 22 N (5 lbf) 100 N (22.5 lbf) max. Air Leakage, Infiltration per ASTM E 283 at 75 Pa (1.57 psf) 0.4 L/s/m² (0.3 cfm/ft²) max. 1 Air Leakage, Exfiltration per ASTM E 283 at 75 Pa (1.57 psf) 0.4 L/s/m² (0.3 cfm/ft²) max. 1 Canadian Air Canadian Air N/A N/A Infiltration/Exfiltration Level A3 N/A Water Penetration, per ASTM E 547 N/A N/A N/A Uniform Load Deflection, per ASTM E 330 Deflections taken at the fixed meeting stile +720 Pa (+15.04 psf) 34.8 mm (1.37") at 35.5 mm (1.40") Report Only 4, 5, 6 Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 5, 6 Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Pass Meets as stated Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Pass Meets as stated			D 0.1	
Per ASTM E 2068			Report Only	
Locks: 22 N (5 lbf) 100 N (22.5 lbf) max.			0011600116	
Air Leakage, Infiltration per ASTM E 283 0.4 L/s/m² (0.3 cfm/ft²) max. 1	per ASTM E 2068		90 N (20 lbf) max.	
Name				
Infiltration per ASTM E 283 at 75 Pa (1.57 psf) (0.08 cfm/ft²) (0.3 cfm/ft²) max. 1		22 N (5 lbf)	100 N (22.5 lbf) max.	
at 75 Pa (1.57 psf) (0.08 cfm/ft²) (0.3 cfm/ft²) max. 1 Air Leakage, Exfiltration per ASTM E 283 at 75 Pa (1.57 psf) 0.4 L/s/m² (0.3 cfm/ft²) max. 1 Canadian Air Infiltration/Exfiltration Level A3 N/A N/A N/A 3 Water Penetration, per ASTM E 547 N/A N/A N/A 3 Uniform Load Deflection, per ASTM E 330 Deflections taken at the fixed meeting stile +720 Pa (+15.04 psf) 35.5 mm (1.40") Report Only 4, 5, 6 Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 1080 Pa (+22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 5, 6 5, 6 Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Pass Meets as stated Deglazing, per ASTM E 987 Pass Meets as stated Operating direction, 320 N (72 lbf) Pass Meets as stated Remaining direction, Pass Meets as stated			4 7 7 7 7 9	
Air Leakage, Exfiltration per ASTM E 283 at 75 Pa (1.57 psf) 0.4 L/s/m² (0.07 cfm/ft²) 1.5 L/s/m² (0.3 cfm/ft²) max. 1 Canadian Air Infiltration/Exfiltration Level A3 N/A N/A N/A N/A 3 Water Penetration, per ASTM E 547 N/A N/A N/A 3 N/A N/A 3 Uniform Load Deflection, per ASTM E 330 Deflections taken at the fixed meeting stile +720 Pa (+15.04 psf) 34.8 mm (1.37") -720 Pa (-15.04 psf) 35.5 mm (1.40") Report Only 4,5,6 Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max1080 Pa (-22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max1080 Pa (-22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max5,6 Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry No entry Thermoplastic Corner Weld Pass Meets as stated Meets as stated Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Pass Meets as stated Pass Meets as stated Meets as stated Remaining direction, 320 N (72 lbf) Pass Meets as stated Meets as stated				
Exfiltration per ASTM E 283 at 75 Pa (1.57 psf)		(0.08 cfm/ft^2)	$(0.3 \text{ cfm/ft}^2) \text{ max.}$	1
At 75 Pa (1.57 psf)				
Canadian Air Infiltration/Exfiltration Level Water Penetration, per ASTM E 547 N/A N/A N/A N/A N/A Uniform Load Deflection, per ASTM E 330 Deflections taken at the fixed meeting stile +720 Pa (+15.04 psf) -720 Pa (-15.04 psf) 34.8 mm (1.37") -720 Pa (-15.04 psf) 35.5 mm (1.40") Report Only 4, 5, 6 Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max1080 Pa (-22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 5, 6 Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction,	•			_
Infiltration/Exfiltration LevelA3N/AWater Penetration, per ASTM E 547N/AN/AN/AUniform Load Deflection, per ASTM E 330Deflections taken at the fixed meeting stile +720 Pa (+15.04 psf) -720 Pa (-15.04 psf)34.8 mm (1.37") 35.5 mm (1.40")Report Only4, 5, 6Uniform Load Structural, per ASTM E 330Report Only4, 5, 6Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) -1080 Pa (-22.56 psf)1.3 mm (0.05") 1.3 mm (0.05")6.1 mm (0.24") max. 6.1 mm (0.24") max.5, 6Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10PassNo entryThermoplastic Corner WeldPassMeets as statedDeglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction,PassMeets as stated		(0.07 cfm/ft^2)	$(0.3 \text{ cfm/ft}^2) \text{ max.}$	1
Water Penetration, per ASTM E 547 N/A N/A N/A N/A Uniform Load Deflection, per ASTM E 330 Deflections taken at the fixed meeting stile +720 Pa (+15.04 psf) -720 Pa (-15.04 psf) 34.8 mm (1.37") -720 Pa (-15.04 psf) Report Only 4, 5, 6 Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max1080 Pa (-22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 5, 6 Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Pass Meets as stated Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction,				
per ASTM E 547 N/A N/A N/A 3 Uniform Load Deflection, per ASTM E 330 Deflections taken at the fixed meeting stile +720 Pa (+15.04 psf) 34.8 mm (1.37") -720 Pa (-15.04 psf) 35.5 mm (1.40") Report Only 4, 5, 6 Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max1080 Pa (-22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 5, 6 Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Pass Meets as stated Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Pass Meets as stated Remaining direction,	Infiltration/Exfiltration Level	A3	N/A	
Uniform Load Deflection, per ASTM E 330 Deflections taken at the fixed meeting stile +720 Pa (+15.04 psf) -720 Pa (-15.04 psf) 35.5 mm (1.40") Report Only 4, 5, 6 Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) -1080 Pa (-22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 5, 6 Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction, Remaining direction,	· · · · · · · · · · · · · · · · · · ·			
per ASTM E 330 Deflections taken at the fixed meeting stile +720 Pa (+15.04 psf) -720 Pa (-15.04 psf) 35.5 mm (1.40") Report Only 4, 5, 6 Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) -1080 Pa (-22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max1080 Pa (-22.56 psf) 1.3 mm (0.05") Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Pass Meets as stated Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction, Remaining direction,		N/A	N/A	3
Deflections taken at the fixed meeting stile +720 Pa (+15.04 psf) 34.8 mm (1.37") -720 Pa (-15.04 psf) 35.5 mm (1.40") Report Only 4, 5, 6 Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max1080 Pa (-22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 5, 6 Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Pass Meets as stated Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Pass Meets as stated Remaining direction,				
the fixed meeting stile +720 Pa (+15.04 psf) -720 Pa (-15.04 psf) 33.5 mm (1.40") Report Only 4, 5, 6 Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) -1080 Pa (-22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max1080 Pa (-22.56 psf) 1.3 mm (0.05") Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction,	<u>*</u>			
+720 Pa (+15.04 psf) -720 Pa (-15.04 psf) Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) -1080 Pa (-22.56 psf) Type: A - Grade: 10 Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction, Pass Report Only 4, 5, 6				
-720 Pa (-15.04 psf) 35.5 mm (1.40") Report Only 4, 5, 6 Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max1080 Pa (-22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 5, 6 Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Pass Meets as stated Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Pass Meets as stated Remaining direction,				
Uniform Load Structural, per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) -1080 Pa (-22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 5, 6 Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Pass Meets as stated Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction, Remaining direction,	+720 Pa (+15.04 psf)	34.8 mm (1.37")		
per ASTM E 330 Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) -1080 Pa (-22.56 psf) Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass Pass No entry Thermoplastic Corner Weld Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction, Remaining direction,	-720 Pa (-15.04 psf)	35.5 mm (1.40")	Report Only	4, 5, 6
Permanent sets taken at the fixed meeting stile +1080 Pa (+22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 1080 Pa (-22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 5, 6 Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Pass Meets as stated Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Pass Meets as stated Remaining direction,				
the fixed meeting stile +1080 Pa (+22.56 psf) -1080 Pa (-22.56 psf) 1.3 mm (0.05") 6.1 mm (0.24") max. 6.1 mm (0.24") max. 5, 6 Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Pass Meets as stated Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction,	per ASTM E 330			
+1080 Pa (+22.56 psf) -1080 Pa (-22.56 psf) Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction,	Permanent sets taken at			
-1080 Pa (-22.56 psf) Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction,				
Forced Entry Resistance, per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Pass Meets as stated Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction,	+1080 Pa (+22.56 psf)		` ,	
per ASTM F 588, Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Pass Meets as stated Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction,		1.3 mm (0.05")	6.1 mm (0.24") max.	5, 6
Type: A - Grade: 10 Pass No entry Thermoplastic Corner Weld Pass Meets as stated Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction,				
Thermoplastic Corner Weld Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction,	<u> </u>			
Deglazing, per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction,	Type: A - Grade: 10	Pass	No entry	
per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction, Pass Meets as stated	Thermoplastic Corner Weld	Pass	Meets as stated	
per ASTM E 987 Operating direction, 320 N (72 lbf) Remaining direction, Pass Meets as stated	Deglazing,			
Operating direction, 320 N (72 lbf) Remaining direction, Pass Meets as stated				
320 N (72 lbf) Pass Meets as stated Remaining direction,	1			
Remaining direction,	1 .	Pass	Meets as stated	
		Pass	Meets as stated	



7.0 Test Results: (Continued)

Test Specimen #1: (Continued)

Continue	~ .)		
Title of Test	Results	Allowed	Note
Optional Performance			
Water Penetration,			
per ASTM E 547			
at 360 Pa (4.60 psf)	Pass	No leakage	2

Test Specimen #2:

rest specimen #2.		1		
Title of Test	Results	Allowed	Note	
Optional Performance				
Uniform Load Deflection,				
per ASTM E 330				
taken at the fixed meeting stile				
+1440 Pa (+30.08 psf)	31.0 mm (1.22")			
-1440 Pa (-30.08 psf)	31.0 mm (1.22")	Report Only	4, 5, 6	
Uniform Load Structural,				
per ASTM E 330				
taken at the fixed meeting stile				
+2160 Pa (+45.11 psf)	1.3 mm (0.07")	5.1 mm (0.20") max.		
-2160 Pa (-45.11 psf)	2.0 mm (0.08")	5.1 mm (0.20") max.	5,6	

Note 1: The tested specimen meets (or exceeds) the performance levels specified in AAMA/WDMA/CSA 101/I.S.2/A440 for air leakage resistance.

Note 2: With and without insect screen.


Note 3: The client opted to start at a pressure higher than the minimum required. Test results are reported under Optional Performance.

Note 4: The deflections reported are not limited by AAMA/WDMA/CSA 101/I.S.2/A440 for this product designation. The deflection data is recorded in this report for special code compliance and information only.

Note 5: Loads were held for 10 seconds.

Note 6: Tape and film were used to seal against air leakage during structural testing. In our opinion, the tape and film did not influence the results of the test.





Intertek-ATI will service this report for the entire test record retention period. Test records such as detailed drawings, datasheets, representative samples of test specimens, or other pertinent project documentation, will be retained by Intertek-ATI for the entire test record retention period.

This report does not constitute certification of this product nor an opinion or endorsement by this laboratory. It is the exclusive property of the client so named herein and relates only to the specimen(s) tested. This report may not be reproduced, except in full, without the written approval of Intertek-ATI.

For INTERTEK-ATI

Joseph E. Allison Senior Technician Lynn George Director – Regional Operations

JEA:sld

Attachments (pages): This report is complete only when all attachments listed are included.

Appendix-A: Alteration Addendum (1) Appendix-B: Location of Air Seal (1)

Appendix- C: Drawing(s) (2) Complete drawings packet on file with Intertek-ATI





Appendix A

Alteration Addendum


Note: No alterations were required.





Appendix B

Location of Air Seal: The air seal between the test specimen and the test wall is detailed below. The seal is made of foam weatherstripping and is attached to the edge of the test specimen buck. The test specimen buck is placed against the test wall and clamped in place, compressing the weatherstripping and creating a seal.







Appendix C

Drawing(s)

Note: Complete drawings packet on file with Intertek-ATI

